protecting communication between chip set top box encrypting decrypting "first key" - Google Scholar Page 1 of 6

Create email alert

include citations

Web Images Videos Maps News Shopping Gmail more ▼

Google scholar protecting communication between chip set to Search Advanced Scholar Search

Results 1 - 60 of 60. (0.41 sec)

My Citations | Scholar Preferences | Sign in

_ 2002 Device and method for preventing fraudulent copies of data containing encrypted copy-management information and recording medium

TKato - US Patent 6,343,281, 2002 - Google Patents . 3, 1997; Junko Yoshida.* Protecting digital media content, Memon, Nasir, Wong, Ping Wah ... 29,2002 Sheet 1 of 10 US 6,343,281 BI MULTIMEDIA DATA STB -101 D ... COPYING PROCESSING

SECTION READ PROCESSING SECTION h321 322 JL_IEEE 1394 CHIP 323 L_ ... Cited by 21 - Frelated articles. - All 2 versions.

Scholar Articles and patents

Smart card mating protocol

JI Okimoto, EJ Sorunk, LW Tang . - US Patent App. . ., 2002 - freepatentsonline.com ... 20020039420, Method and apparatus for batched network security protection server performance, April ... system 60 is responsible for entitlements (including transferring entitlements between initially mated ... function to yield an authenticator delivered as part of the communication, ...

1990

Method and apparatus for distributing keys for decrypting and re-encrypting publicly distributed

media

GL Graunke - US Patent App. 20.030/005,285, 2001 - freepatentsonline.com Content Protection) developed by Intel protects digital content as it is transmitted between a set ...

TCB or it can be done directly to the sinks using a communication protocol understood by ... the amount of information in the trusted module is small, the cost of protecting the information ...

Carped

Method and apparatus for simultaneous encryption and decryption of publicly distributed media GL Graunke - US Patent App. 20,030/002,675, 2001 - freepatentsorline com

... Content Protection) developed by Intel protects digital content as it is transmitted between a set ... TCB or it can be done directly to the sinks using a communication protocol understood by ... the amount of information in the trusted module is small, the cost of protecting the information ... Cached

Method and apparatus for composable block re-encryption of publicly distributed content GL Graunke - US Patent App. 20,040/032,950, 2002 · freepatentsonline.com ... not need to be trusted as its function is only to facilitate communication between other devices ... module or it can be done directly to the sinks using a communication protocol understood ... the amount of information in the trusted module is small, the cost of protecting the information ... Cached

Method and apparatus for providing conditional access in connection-oriented, interactive networks

with a multiplicity of service providers AJ Wasilewski, DF Woodhead... - US Patent 5,870,474, 1999 - Google Patents ... ol programs, including at least one ol video, audio, and data, between a service ... Packets representing a particular program requested by a customer having a set top unit are ... In particular, program bearing packets are encrypted according to a first encryption algorithm using a ...

Cated by 224 - Related anicks - All 2 versions

Cryptographic key distribution system and method for digital video systems Gison, D Rogoff, S Petilli, . . US Patent App. 20.020/ . ., 2001 · freepatentsonline.com ... the RAM 307 via the selector switch 305 which selects between the encryptor ... embodiments, other cryptographic systems may be used to protect the keys ... Previous Patent: Encryption method, decryption method, cryptographic communication method, cryptographic communicatio ... Cached

Tokenless identification system for authorization of electronic transactions and electronic

transmissions N Hoffman, DF Pare Jr. . - US Patent 5,613 012, 1997 - Google Patents

... 11 F Mandatory Data 7 | Optional Data Encryption/Sealing Process at Biometric Input Device Fig. ... Set Electronic Signature in Record (0 *~fmm • ^u 5 ... and its low cost compared to conventional

mail, has made it a method of choice for communication between individuals and ... Cated by 415 - Related animins - All 2 versions

Method and apparatus for providing conditional access in connection-oriented interactive networks with a multiplicity of service providers

Woodhead.. - US Patent 6,424,714. 2002 - Google Patents

... of programs, including at least one of video, audio, and data, between a service ... Packets representing a particular program requested by a customer having a set top unit are ... In particular, program bearing packets are encrypted according to a first encryption algorithm using a ...

Caled by 43 - Related articles - All 3 versions

Method and apparatus for providing hierarchical key system in restricted-access television system WJ Filonards - US Patent 6,069,957, 2000 - Google Patents

.. Such a hierarchy is sometimes called "key-upon-key" encryption. The system transmits a second key that produces a first key from a cipher text (which first key decrypts a first program material)

8/29/11

[HTML] from tkk.fi

Context-agile encryption for high speed communication networks IPDFI from sigcommucia LG Pierson, EL Witzke, MO Bean... - . . Communication Review, 1999 - portal acm.org ... In order to support the required data rates, a point to point architecture between the cell router

and ... 46 Computer Communication Review ... The following discussion assumes Counter Mode, as Electronic Codebook Mode does not protect against dictionary lookup or replay attacks ...

... The method and apparatus can be networked to act as a full or partial intermediary between other indepen- dent computer ... 11 QUO / Mandatory 7 Data 7 Encryption/Sealing Process at Biometric Input Device Fig. ... Set Electronic Signature in Record "="5? 0 8 g | " | £§ o to .c ...

System and method for secure electronic digital rights management, secure transaction

Method and apparatus for providing bus-encrypted copy protection key to an unsecured bus - US Patent App. 20.020/ 2001 - freepatentsonline.com ... and the DFAST algorithm as described, for example, in the Open Cable POD Copy Protection System Interim ... key 124, so that the bus encryption key is not communicated over any communication link such as the unsecured bus 112 or the channel 104 between the POD ...

D Runje, M Kovac, BD Litman ... - US Parent App. ..., 2000 - freepatentsonline.com ... This transformation/modification can have several purposes one of which could be to protect the original content so that it ... together with the first key pair is used to establish and ensure secure communication connection/secure communication channel between CA and ...

DF Pare Jr, N Hoffman . - US Palent 5,805,719, 1998 - Google Patents

[HTML] Practical Cryptosystems and their Strength

J Frosen - Tik-110 801 Seminar on Network Security, 1995 - tml.tkk.fi ... Strong encryption can be used to protect your sensitive data against organized crime, government

... The system can be networked to act as a full or partial intermediary between other independent computer systems, or may be the sole computer systems carrying out all ... 8, Sheet 6 of 14 § y Encryption of Data MDM V. O oo Qj OQ^^ - Q_ ^*5 c ^QJ 0 1 I .§ ^\SH^ .-|.s ^\1! ...

Cited by 1 - Prelated articles - Carried System and method for secure electronic digital rights management, secure transaction

2002 - freepatentsonline.com

management and content distribution D Runje, M Kovac, BD Litman... - US Patent - US Patent App. 09/ ., 2000 - Google Patents

and multinational ... In hardware, DES is between 1,000 and 10,000 times as fast, depending on the implementations. ... This may be a text message, file or a stream of communication. ...

... Sheet 43 of 48 US 2001/0032312 Al Key Establishment Protocol between UD and ... contains certain IDs or crypto keys used for identification and/or encryption, decryption [0015 ... keys from the protected storage inside the embedded processor [0016] Secure chip level—software ...

Initializing, maintaining, updating and recovering secure operation within an integrated system

... To protect a secret key, therefore, the number of samples employing the key should be limited. ...

with the on-chip persistent storage so that the count is maintained between sessions, or ... 12 A, data is received, in this case through communication port 1200, from an outside source ... Carthed

Time delayed key escrow

S Goldwasser . - US Patent 5,768,388, 1998 - Gongle Patents

... of the secret-key is essentially exhaustive search, otherwise it will not provide protection against massive ... of the secret-key can be done over the public insecure communication channels (without use of encryption to hide pieces) via an interactive process between 45 the ...

Cited by 21 - Related articles - All 2 versions

Server with multiple encryption libraries

Cited by 45 - Related oracles - At 2 versions

Clied by 187 - Pelated articles - Ali 2 versions

management and content distribution

Tokenless identification of individuals

Cited by 238 - Related articles - All 2 versions.

Cached

Gired by 16 - Related articles - Bit Direct - Atl 9 versions Tokenless biometric transaction authorization system DF Pare Jr. JA Lee. - US Patent 5.838.612, 1998 - Google Patents

J Newton - US Patent App. 20,030/035,547, 2001 - freepatentsonline com Layer (SSL) technology, is the industry-standard method for protecting web communications ... as

employing a data access control function

EM Foster, WE Hall. . . US Patent App. 20,030/

SRAM (static random access memory) for implementing on-chip configuration memory ... on the World Wide Web for authenticated and encrypted communication between clients and ...

METHOD AND APPARATUS FOR PROVIDING CONDITIONAL ACCESS IN CONNECTION-ORIENTED INTERACTIVE NETWORKS WITH A MULTIPLICITY OF ...

AH Wasiewski, DF Woodhead... - US Patent App. 20,020 1998 - freepatentsonline com . The NCMC 100 then provides a communication connection between a particular service provider

110 ... overcomes an additional obstacle-only a single interactive connection exists between the http://scholar.google.com/scholar?as_q=protecting+communication+between+chip+set+top+box+encrypting...

8/29/11

IHTML1 from utalca.cl

Server with multiple encryption libraries J Newton - US Patent App. 09/820,216, 2001 - Google Patents .. Sockets Layer (SSL) technology, is the industry-standard method for protecting web communica ...

BL Candelors - US Pisteril App. 20,020

Method for simulcrypting scrambled data to a plurality of conditional access devices ... The combination of movement towards digital communication systems and digital recording devices poses a ... operates to transmit control information and data including program data between the digital ... scrambled stream is provided to the DES ECB copy protection chip 642 for ... Cartred

bus 112, communication adapter 134 for connecting the workstation to a communication network (eq ... layer module may be used to manually or automatically select between any one ...

Method and apparatus for enhancing software security and distributing software St. Chang . - US Patent 5,724,425, 1998 - Google Patent

SP ... word, other data (eg, system-wide pay-per view access, copy protection, and the ...

... Public key cryptography is used to send secure messages across public communication links on which ... As will be described, the present invention may also be used to protect intellectual property ... all cases, the reader is advised to keep in mind the distinction between the method ... Citari by 238 - Related articles - All 2 versions

[BOOK] PGP: pretty good privacy

S Garfinkel - 1995 - books google com ... 125 An Information Superhighway that's "Wired for Sound" 126 The NSA's Clipper Chip 127 Inside ... is now the official standard for voice, fax, and low-speed data communication for the ... with RSA and other good cryptographic systems, the tools for privacy protection are now in the ...

Secure execution of program instructions provided by network interactions with processor A Folimsbea - US Patent 6 309 286, 2001 - Goodle Patentis

... 5 is a diagram which shows how interdependencies between operations are checked in the ... These encrypted long instruction words may then be distributed without further protection to the ... Each

Cited by 47 - Related articles - All 2 versions

Cited by 531 - Related articles - Library Search - All 9 versions

[BOOK] Smart card security and applications

1 - books.google.com ... Card Security and Applications Calculating the risks; probabilities and odds 13 Technical communication obstacles 15 ... The next generation of mobile telephony will bring the chip card to North America and ... be put in place for a smart card scheme to be effective in protecting data ... Ched by 123 - Prelated articles - Library Search - All 7 versions.

Cryptographic system with methods for user-controlled message recovery

CPU chip produced, according to the present invention, has an instruction set that ...

P Zimmermann - US Patent 6,314,190, 2001 - Google Patents ... of the disclosure of this patent document contains material which is subject to copyright protection. ... from one individual to another across a network or other communication channel, including ... user; the first key pair comprises a public key employed for encrypting messages sent ...

Cited by 27 - Related articles - All 2 versions

System and method for downloading electronic information to a video lottery terminal TA Gordon, BM Keily ... - US Patent App. 20,020/ ... 2001 - freepatentsonline cont ... This gives the client the ability to distinguish between electronic keys used for different software third key required to decrypt the code and this offers added protection against unauthorized ... [0046] Electronic security key access occurs before any communication transfers occur ...

Cartred

System for controlling the distribution and use of digital works having attached usage rights where

the usage rights are defined by a usage rights grammar MJ Stellik - US Patent 5,715,403, 1998 - Google Patents

... the right The behavior of a usage right is embodied in a predetermined set of usage ... Strattner,

A.. "Cash register on a chip" may revolutionize software pricing and distribution; Wave ... Griswold, GN, "A Method for Protecting Copyright on Networks," IMA Intellectual Property Project ... Cited by 591 - Related articles - All 2 versions.

System for controlling the distribution and use of digital works

MJ Stefik. - US Pitterit 5 629,560, 1597 - Google Patent ... Access to digital works for the purposes of transporting between repositories (eg copying ... Strattner.

A., "Cash register on a chip may revolutionize software pricing and distribution ... Griswold, GN, "A Method for Protecting Copyright on Networks," IMA Intellectual Property Project ...

Cited by 722 - Related articles - Ali 2 versions-

Security Paradigms

P Verissimo. - Distributed Systems for System Architects, 2001 - Springer ... As depicted in Figure 17.5, Alice (A) and Bob (B) only do public communication. ... They may also authenticate messages exchanged between two users ... from encryption: when a message is encrypted, it is naturally protected, but after decryption at the recipient, the protection is lost ...

System for controlling the distribution and use of composite digital works

Page 4 of 6

Citie I by 521 - Related articles - All 2 versions System for controlling the distribution and use of digital works having a fee reporting mechanism MJ Stelik, RC Merkle. - US Patent 5,634,012, 1997 - Google Patents

... A., "Cash register on a chip" may revolutionize software pricing and distribution; Wave ... Griswold, GN, "A Method for Protecting Copyright on Networks," IMA Intellectual Property Project ... ID}] 7505~-Transport-Code := [Copy | Transfer | Loan(Remaining-Rights: Next-Set-of-Rights ... Cited by 527 - Related anicers - All 2 versions

Secure entry system with acoustically coupled telephone interface WF Larson: ... US Parent 5,245,652, 1993 - Google Patents ... brochure, "A New Dimension in Key Box Systems, by Supra, the EAC-1000 Key Safe System," 1982. ... 23 14'^ 80' -18' f 46'40- 4'2 46' 981 34' 40' OPTOELECTRONIC COMMUNICATION PORT #42' BATTERY \ CPU TIMER RAM MEMORY STATUS LE.D. 44'-^ 36' KEYPAD #30 ...

Cated by 30 - Related amotes - Ali 2 versions

System for controlling the distribution and use of digital works using digital tickets . - US Patent 6.236.971, 2001 - Google Patents

... Set-Of-Rights)} {(Delete: Set-Of-Rights)} {(Replace: Set-Of-Rights)K(Keep: Set-Of-Rights ... 4,932,054 entitled "Method and Apparatus for Protecting Computer Software Utilizing Coded Filter Network in ... are sent to a license control system over an appropriate communication facility. ...

Cited by 203 - Related anticks - All 3 versions

Electronic postage scale system and method

RG Schwartz, AA Crowe, JS Emmett. . - US Patent ... , 1998 - Google Patents Page 1. ■■IIIIIIIIIIIII United States Patent m Schwartz et al. US005780778A [ii] Patent Number:

[45] Date of Patent: 5.780.778 Jul. 14, 1998 [54] ELECTRONIC POSTAGE SCALE SYSTEM AND METHOD [75] Inventors: [73] Robert G. Schwartz. Branford; Alien A. Crowe. ...

Cited by 10 - Related articles - All 2 versions

Consumable authentication protocol and system SR Walmsley. . - US Patent 6,374,364, 2002 - Google Patents

... 20 This includes Internet commerce, peer to peer communication, Smart Cards, Authentication

chips, elec- tronic ... The first key is therefore used to help protect the second key against differential

attacks, ... 6.3 4.354 BI 3 Similarly, there should be a minimum delay between calls to ...

Cited by 35 - Related articles - All 2 versions Data synchronization method for use with portable, microprocessor-based device WG Henderson, WF Larson... - US Patent 5.602.536, 1997 - Google Patents

... 22 / 10' \ 106^4, 70'68:80, FIG. 23 46-X m 9? 40' 14', OPTOELECTRONIC COMMUNICATION PORT -42' FIG. 24 OPTOELECTRONIC COMMUNICATION PORT 7 50' CPU CALENDAR CLOCK 48' 55' \ COMPARTMENT LOCK RAM MEMORY^*54' ,J Page 14. ... Citeri by 66 - Prelateri unicles - Ali 2 versions

Electronic postage scale system and method RG Schwartz, AA Crowe, JS Emmett... - US Palent ..., 1997 - Google Patents

Page 1. US005615120A United States Patent Schwartz et al. [ii] Patent Number: [45] Date of Patent: 5,615,120 Mar. 25, 1997 [54] ELECTRONIC POSTAGE SCALE SYSTEM AND METHOD [75] Inventors: Robert G. Schwartz ... Cated by 41 - Related articles - All 2 versions

Altered States: Electronic Commerce and Owning the Means of Value Exchange

RIO Fram, MJ Radin. - Stan Tenh L. ., 1999 - litigation-essentials.le.osnexis.com ... On the plus side, the Internet has reduced the costs of **communication** and promises to ... gap between secure payment card transactions and micropayments (roughly anything between \$

... Although copyright protection lasts much longer than a patent (ninety-five years after ...

Cited by 3 - Related articles - All 3 versions

IPsec, the Future of Network Security?

O Jonsson... - 2000 - gupea.ub qu.se ... The purpose of the IP Security Protocol Working Group is to develop mechanisms to protect client

protocols of IP. ... This communication must be standardized if it is to be successful. ... Therefore there must also be an agreement on how to pass data between the layers on a single ...

Electronic postage scale system and method

RG Schwartz, AA Crowe, JS Ernmatt. . - US Patent ..., 1999 - freepatentsonline com

... of the disclosure of this patent document contains material which is subject to copyright protection. ... Wave spring washer 125 is placed between blocks 109a and 123 to more reliably ... include a clock

generator, three timers, a peripheral interrupt controller, a chip select logic ... Gliad by 13 - Related anicles - Capted - All 2 versions Electronic scale system with programmable function keys

RG Schwartz, AA Crowe, JS Emmett. . - US Patent . . . 1998 - Google Patents Page 1. United States Patent Schwartz et al. US005841076A [ii] Patent Number: [45] Date of Patent: 5,841,076 Nov. 24, 1998 [54] ELECTRONIC SCALE SYSTEM WITH PROGRAMMABLE FUNCTION KEYS [75] Inventors: Robert ...

IPDFI from stanford.edu

IPDFI from au.se

[PDF] from pau.edu

Cited by 16 - Related anicles - All 2 versions

Adjustable display for use with an electronic postage scale system RG Schwertz, AA Crowe, JS Emmett. . - US Patent ... 2000 - Google Patents Page 1. United States Patent [w] Schwartz et al. US006013878A [ii] Patent Number: [45] Date of Patent: 6,013,878 Jan. 11,2000 [54] ADJUSTABLE DISPLAY FOR USE WITH AN ELECTRONIC POSTAGE SCALE SYSTEM 175 ...

Cities by 15 - Pelated articles - All 2 versions

System and method for an electronic postage scale with variable function keys and window screens

Page 1. United States Patent [w] Schwartz et al. US006153835A [ii] Patent Number: 6,153,835 [45] Date of Patent: Nov. 28,2000 [54] SYSTEM AND METHOD FOR AN ELECTRONIC POSTAGE SCALE WITH VARIABLE FUNCTION ...

Citarl by 9 - Pelased articles - All 2 versions

Electronic postage scale system and method

RG Schwartz, AA Crowe, JS Emmett... - US Patent..., 2002 - Google Patents Page 1, (12) United States Patent Schwartz et al. US006462286B1 (io) Patent No.

US 6,462,286 BI (45) Date of Patent: Oct. 8,2002 (54) ELECTRONIC POSTAGE SCALE SYSTEM AND METHOD (75) Inventors: Robert G. Schwartz ...

Cited by 7 - Related articles. - All 2 versions.

Validation protocol and system

SR Walmsley ... - US Patent App., 10/203,559, 2002 - Google Patents ... The chip is manufactured using the standard Flash memory manufacturing process, and is low cost-enough to ... modulo register length) Erase X Erase Flash memory register X SetBitsIX. YI Set the bits ... suggest an absolute minimum key length of 90 bits in order to protect data for ...

[BOOK] E-mail virus protection handbook

000 - books.google.com ... CCNA) has about 15 years of experience as an Information and Communication Technologies

(ICT ... 15 Types of Worms 16 Trojans 17 Illicit Servers 17 Differentiating between Trojans and ... Security 21 Common Authoring Languages 22 Protecting Your E-mail 23 Protecting E-mail ...

[PDF] Secure Internet-based Electronic Commerce: The View from Outside the US

P. Gutmann - 1998 - Citeswer

... Although Netscape negotiated a 128-bit key to protect each session, it sent 88 of ... buggy software, the attempt ultimately failed, but the stage had been set for an ... of MD5 precomputation which could be done, and included automatic communication between client workstations ...

Cited by 1 - Related anides - View as HTML - All 19 versions.

Composite digital works having usage rights and method for creating the same

MJ Stefik ... - US Patent App. 20.020/128,856, 2001 - freepatentsonline.com ... In addition to protection of the repository itself, the repository design protects access to the ... and nonces described below are all security measures aimed at reliable communication in a ... in which digital works are exchanged is the basis for all transaction between repositories. ...

Cached

Digital works having usage rights and method for creating the same MJ Stefk... - US Patent App. 20.020/128.972, 2001 - freepatemsonline.com

... In addition to protection of the repository itself, the repository design protects access to the ... and nonces described below are all security measures aimed at reliable communication in a ... in which digital works are exchanged is the basis for all transaction between repositories. ...

Carned

System for controlling the distribution and use of digital works using digital tickets MJ Stefik... - US Patent App. 20,010/023,417, 2001 - freepatemsonline.com

... In addition to protection of the repository itself, the repository design protects access to the ... and nonces described below are all security measures aimed at reliable communication in a ... in which digital works are exchanged is the basis for all transaction between repositories. ...

Cached - All 2 versions

System for controlling the distribution and use of digital works

MJ Stafik. - US Paténi App. 20,030/023 561, 2002 - freepatentsonline.com

... In addition to protection of the repository itself, the repository design protects access to the ... and nonces described below are all security measures aimed at reliable communication in a ... in which digital works are exchanged is the basis for all transaction between repositories. ... Cached

Method and apparatus for executing code in accordance with usage rights

MJ Stelle ... - US Patent App. 20,030/225,698, 2002 - freepatentsonline com ... In addition to protection of the repository itself, the repository design protects access to the ... and nonces described below are all security measures aimed at reliable communication in a ... in which digital works are exchanged is the basis for all transaction between repositories. ...

Cached - All 2 versions

[PDF] An introduction to cryptography

Page 6 of 6

[POF] from psu.edu

E Schäefer - Santa Clara University, 1998 - Géeseer ... It is not only use by spies but for phone, fax and e-mail communication, bank transactions ... we can encode a digraph xy as 26x + y. The resulting number will be between 0 and ... is an unsafe stream cipher used on PC's to encrypt files (savvy users aware it gives minimal protection). ... Related anicles - View as HTML - All 5 versions

Validation protocol and system

SR Watristey . - US Patent App. 20.039/159,036, 2002 - freepatentsonline.com ... 20070288744. Method of Secure Communication Between Endpoints, December, 2007, Wang. ... [0156] A one-way hash function is not sufficient protection for a ... of an authentication chip, a known-plaintext attack is one where the attacker can see the data flow between the system ... Retared anicles - Cartred

Consumable authentication protocol and system SR Walmsley ... - US Parent App. 20,0367 ... 2002 - freepatentsonline com ... [0154] A one-way hash function is not sufficient protection for a message, ... In the case of an authentication chip, a known-plaintext attack is one where the attacker can see the data flow between the system and the authentication chip. ...

Unathorised modification of values stored in flash memory
K Silverbrook... - US Patent Apr. 20.030/.... 2002 - freepatentschline.com

... [0159] A one-way hash function is not sufficient protection for a message, ... In the case of an authentication chip, a known-plaintext attack is one where the attacker can see the data flow between the system and the authentication chip. ...

Related articles - Carned

Cached

[BOOK] Crypto: Secrecy and privacy in the new code war

S Levy - 2001 - books google.com ... public key prime time selling crypto patents and keys crypto anarchy the clipper chip slouching toward ... the ultimate information stronghold resides in software, not hardware; virtual safes protecting precious data ... of ones and zeros in a computer message to a different set of totally ... Cited by 20 - Rolling articles - Library Search - All 2 versions

Create email alert

protecting communication between (Search

Go to Google Home - About Google - About Google Scholar

©2011 Google